





Image may differ from product. See technical specification for details.







# **TMFT 36**

### SKF Bearing fitting tool kit, TMFT 36 36 rings

The TMFT 36 facilitates the mounting of different bearings with bore diameters from 10-55 mm (0.39 -2.17 in). The right combination of impact ring and sleeve allows effective transmission of mounting force to the bearing ring with the interference fit, minimising the risk of damaging the bearing's raceways or rolling elements. The TMFT 36 is also suitable for mounting other components such as bushings, seals and pulleys.

- Facilitates correct mounting on shaft, housing and blind applications
- The diameter of the impact ring precisely fits the inner and outer diameter of the bearing
- Impact rings and sleeves are made of high impact resistant material for longevity and are also suitable for use under a press
- Impact rings are marked for clear visual identification of the ring's size and easy selection
- The nylon double-side head of the dead-blow hammer helps to prevent damaging the components
- All items packed in a strong, lightweight toolcase with comprehensive instructions and appicable bearing selection chart

# Overview

### Dimensions

Workpiece bore diameter	10.0 - 55.0 mm
Workpiece outer diameter	26.0 – 120.0 mm
Sleeve outer lengths	A, 228 mm B, 235 mm C, 245 mm
Sleeve, outer diameter	A, 25 mm B, 45 mm C, 66 mm
Hammer length	315 mm
Hammer width	115 mm
Case dimensions (l x h x w)	530 x 110 x 360 mm

# Properties

Recommended applications	For manual mounting of bearings, bushings, seals, rings, pulleys in industrial, construction and agricultural applications
Mounting force generation	Hammer
Suitable for workpiece mounting on a Cylindrical seating (straight shaft)	Yes
Suitable for bearing mounting on a Tapered seating (conical shaft)	Not recommended
Suitable for bearing mounting on a Sleeve (adapter or withdrawal)	Not recommended
Suitable for workpiece mounting in a Blind arrangement (housing with shaft)	Yes
Suitable for workpiece mounting in a Housing	Yes
Mounting depth	A, 221 mm B, 221 mm C, 226 mm
Provided with Handprotectors	No
Models of rings	Three, named A,B,C
Number of rings	36
Ring material	Impact resistant polyamide (PA)
Number of sleeves	Three, named A,B,C
Sleeve material	Glassfiber filled polyamide (PA)
Hammer type	Deadblow hammer
Hammer weight	0.9 kg
Hammerhead	Sturdy polyurethane (PU) preventing damage to the sleeve heads
Hammer material	Steel, PU
Allowed temperature of the mounting object	-30.0 - 110.0 °C
Total product weight	4.4 kg
Content	12x Impact rings A 12x Impact rings B 12x Impact rings C 1x Impact sleeve A 1x Impact sleeve B 1x Impact sleeve C

### Logistics

Product net weight	4.53 kg
eClass code	23-05-19-01
UNSPSC code	27113202

# Compatible products

# Spare part

Impact sleeve for TMFT 36, size A	TMFT 36 A
Impact ring for TMFT 36, size A10-26	TMFT 36 A10-26
Impact ring for TMFT 36, size A10-30	TMFT 36 A10-30
Impact ring for TMFT 36, size A10-35	TMFT 36 A10-35
Impact ring for TMFT 36, size A12-28	TMFT 36 A12-28
Impact ring for TMFT 36, size A12-32	TMFT 36 A12-32
Impact ring for TMFT 36, size A12-37	TMFT 36 A12-37
Impact ring for TMFT 36, size A15-32	TMFT 36 A15-32
Impact ring for TMFT 36, size A15-35	TMFT 36 A15-35
Impact ring for TMFT 36, size A15-42	TMFT 36 A15-42
Impact ring for TMFT 36, size A17-35	TMFT 36 A17-35
Impact ring for TMFT 36, size A17-40	TMFT 36 A17-40
Impact ring for TMFT 36, size A17-47	TMFT 36 A17-47
Impact sleeve for TMFT 36, size B	TMFT 36 B
Impact ring for TMFT 36, size B20-42	TMFT 36 B20-42
Impact ring for TMFT 36, size B20-47	TMFT 36 B20-47
Impact ring for TMFT 36, size B20-52	TMFT 36 B20-52
Impact ring for TMFT 36, size B25-47	TMFT 36 B25-47

Impact ring for TMFT 36, size B25-52	TMFT 36 B25-52
Impact ring for TMFT 36, size B25-62	TMFT 36 B25-62
Impact ring for TMFT 36, size B30-55	TMFT 36 B30-55
Impact ring for TMFT 36, size B30-62	TMFT 36 B30-62
Impact ring for TMFT 36, size B30-72	TMFT 36 B30-72
Impact ring for TMFT 36, size B35-62	TMFT 36 B35-62
Impact ring for TMFT 36, size B35-72	TMFT 36 B35-72
Impact ring for TMFT 36, size B35-80	TMFT 36 B35-80
Impact sleeve for TMFT 36, size C	TMFT 36 C
Impact ring for TMFT 36, size C40-68	TMFT 36 C40-68
Impact ring for TMFT 36, size C40-80	TMFT 36 C40-80
Impact ring for TMFT 36, size C40-90	TMFT 36 C40-90
Impact ring for TMFT 36, size C40-100	TMFT 36 C45-10
Impact ring for TMFT 36, size C45-75	TMFT 36 C45-75
Impact ring for TMFT 36, size C45-85	TMFT 36 C45-85
Impact ring for TMFT 36, size C50-110	TMFT 36 C50-11
Impact ring for TMFT 36, size C50-80	TMFT 36 C50-80
Impact ring for TMFT 36, size C50-90	TMFT 36 C50-90
Impact ring for TMFT 36, size C55-100	TMFT 36 C55-10
Impact ring for TMFT 36, size C55-120	TMFT 36 C55-12
Impact ring for TMFT 36, size C55-90	TMFT 36 C55-90
Impact ring for TMFT 36, size C55-90  Tool case (empty) with inlay for TMFT 36	TMFT 36 C55-90  TMFT 36-CC



### Terms of use

By accessing and using this website / app owned and published by AB SKF (publ.) (556007-3495 · Gothenburg) ("SKF"), you agree to the following terms and conditions:

### Warranty Disclaimer and Limitation of Liability

Although every care has been taken to assure the accuracy of the information on this website / app, SKF provides this information "AS IS" and DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. You acknowledge that your use of this website / app is at your sole risk, that you assume full responsibility for all costs associated with use of this website / app, and that SKF shall not be liable for any direct, incidental, consequential, or indirect damages of any kind arising out of your access to, or use of the information or software made available on this website / app.

Any warranties and representations in this website / app for SKF products or services that you purchase or use will be subject to the agreed upon terms and conditions in the contract for such product or service.

Further, for non-SKF websites / apps that are referenced in our website / app or where a hyperlink appears, SKF makes no warranties concerning the accuracy or reliability of the information in these websites / apps and assumes no responsibility for material created or published by third parties contained therein. In addition, SKF does not warrant that this website / app or these other linked websites / apps are free from viruses or other harmful elements.

### Third Party Services

When viewing YouTube content via the SKF website(s) (i.e. using YouTube API Services), you agree to be bound by the YouTube Terms of Service.

### Copyright

Copyright in this website / app copyright of the information and software made available on this website / app rest with SKF or its licensors. All rights are reserved. All licensed material will reference the licensor that has granted SKF the right to use the material. The information and software made available on this website / app may not be reproduced, duplicated, copied, transferred, distributed, stored, modified, downloaded or otherwise exploited for any commercial use without the prior written approval of SKF. However, it may be reproduced, stored and downloaded for use by individuals without prior written approval of SKF. Under no circumstances may this information or software be supplied to third parties.

This website /app includes certain images used under license from Shutterstock, Inc.

### **Trademarks and Patents**

All trademarks, brand names, and corporate logos displayed on the website / app are the property of SKF or its licensors, and may not be used in any way without prior written approval by SKF. All licensed trademarks published on this website / app reference the licensor that has granted SKF the right to use the trademark. Access to this website / app does not grant to the user any license under any patents owned by or licensed to SKF.

#### Changes

SKF reserves the right to make changes or additions to this website / app at any time.